HP Designjet 70 Printer series

hp

Color printing that helps you realize your everyday business needs. Enjoy bigger printing possibilities, speed, a wide range of media types and sizes with cost-effective operation.

Enlarge your vision

- Enjoy the experience of printing and displaying full color up to 18 inches wide and 50ft long. For media flexibility, the HP Designjet 70 Printer handles documents up to 18 inches wide using three independent paper paths. The HP Designjet 70 Printer meets your demanding standards for presentation-ready documents, drawings, and schematics.
- Create sharp detail and crisp lines and text. Precise ink placement and HP print head technology create crisp, distinct lines and sharp text. Pigment-based black ink provides lasting results for archiving CAD plots and architectural plans.* Produce rich, vibrant color with patented HP inks, 1200 dpi, and HP Color Layering technology. Interactive HP Smart printing technology makes continuous adjustments to optimize print quality.
- Outstanding printing on a full range of media. Multi-format, color business printing at your fingertips. From proposals to line drawings to oversized graphics, the HP Designjet 70 Printer meets daily and fullrange media print needs.

Full color, superior results

- Produce rich, vibrant color. Achieve lasting results for archiving CAD plots and architectural plans. Produce rich, vibrant color with patented HP inks, 1200 dpi, and HP Color Layering technology. Interactive HP Smart printing technology makes continuous adjustments to optimize print quality.
- Low maintenance. Enjoy a low-maintenance printer that requires very little attention. Both HP printing supplies and the printer use interactive HP system technology to make automatic and continuous adjustments that optimize printing quality and accuracy.
- Easy printer configuration in multiple network environments. Versatile for almost any office environment, the HP Designjet 70 Printer is USB 1.1 and USB 2.0 compatible, Centronics parallel IEEE 1284 compliant, and supports an optional HP Jetdirect 620n LAN card (EIO). And for the ultimate in flexibility, an internal wireless option is available. Optimized drivers provide full support for Macintosh and Windows operating systems.

Valuable time and cost savings

- Easy-to-use solution and intuitive drivers. Minimize the waste and cost associated with trial and error prints. The Designjet 70 Printer offers intelligent print previewing with actual layout positioning. Enhanced drivers offer support for Auto-CAD files. The clipping advisor helps you clearly see your image as it will be printed. Easy to start and operate, the HP Designjet 70 Printer saves you valuable time.
- Individually replaceable supplies. The HP Designjet 70 multi-format color printer is budget friendly to own and operate. Realize lower total costs of printing and reliable ink usage with ink cartridges that can be individually replaced for a simple, cost-effective solution. And, replaceable print heads produce top ink quality throughout the life of the printer.
- Improve office productivity. Ideal for day-to-day business printing and a full-range media printing, the HP Designjet 70 Printer delivers the speed and high-quality performance you expect from HP. Improve operations and efficiency by printing text, lines, and images at speeds up to 11 pages per minute for letter size and up to 44 seconds per page for a C-size.
- In-house color printing up to C+ size. Designed to reduce outsourced printing costs, the HP Designjet 70 Printer supports a full range of media, such as coated, heavyweight coated, glossy, bright white, CAD, proofing matte, and proofing semigloss. With this versatile printer, you can print business documents as well as large and wide-format materials in color, in-house.

* Black-and-white archivability in compliance with ISO Standard 11798



HP Designjet 70 Printer series

1. LCD printer status indicator for ink supply maintenance and print message alerts.

2. Media tray holds up to 70 sheets of standard-size media (up to C+-size).

3. Front bypass slot accommodates cut-sheet media up to 18 inches.

4. Small footprint allows placement of printer on tabletop or in common work area.

5. Rear bypass slot handles heavy and rigid media of weights up to 80 lb.

6. Optional roll feed feeds rolls up to 18 in wide and 150 ft long.



HP Designjet 70 Printer front view





HP Designjet 70 Printer top view

Series at a glance

4.

HP Designjet 70 Printer

- CMYK solution with separate ink cartridge and printheads for cost-effective and simple operation.
- Input tray for up to 70 sheets of up to 18 \times 24 in
- Optimized Macintosh and Windows drivers
- · Optional HP Jetdirect LAN card offers network connectivity

Optional accessories

- HP Designjet 70/90 Roll Feed accessory
- HP Designjet 70/90 Spindle accessory
- HP Jetdirect 620n LAN card



Architecture, engineering and construction

Construction companies can cost-effectively add on-site printing for plans, schematics and renders. Contractors can spend their valuable time on the actual job rather than worrying about lost plans and having to postpone deadlines and they can avoid relying on their local print shop. The addition of an on-site C-size printer provides the perfect on-the-spot solution to solving unexpected changes.

Interior designers can create detailed plans and final presentations up to18 inches wide, quickly and effectively, with such professionalism that is sure to entice customers. Other applications include: pictures with renders and plots, preparation of estimates, proposals and invoices; all from a single printer.

Freelance architects and **students** can print projects and standardsize reports at any hour of the day or night, without leaving their office or dorm room. The HP Designjet 70 Printer provides the versatility required to prepare their presentations and meet deadlines.



Business professionals

Finance or IT Professionals can present financial data, collaborate on schedules, engage co-workers in the preparation of project diagrams and get the group's opinion by presenting oversized output from applications such as Visio or Excel. Printing on C+-size media facilitates knowledge and editing; every individual's opinion can be captured, ensuring collaboration and acceptance before proceeding with a project.

HR Departments and administrative assistants can display posters for employee meetings, on-site events or training classes. News can be communicated quickly and effectively with little effort.

Facilities managers can easily update required safety notices or manage office space in real-time with no need to outsource.

Legal departments and law enforcement officials can map crime patterns or create persuasive courtroom graphics to help back-up their case and thereby make a more convincing appeal.

Consulting firms will find that large format printers will vastly improve their ability to involve and engage clients in working sessions. Workshops will be more dynamic and interactive and the firm will offer a more professional appeal.

General poster printing

Just about everyone can benefit from improving their communication capabilities with large-format prints and indoor signage.

In **schools**, everyone from students to teachers and parents can enjoy and be proud of their ability to create C-size material for in-class presentations, course assignments, announcements and posters for school fairs, etc.

Hotel managers will be astonished at how simple it is to print sophisticated professional color posters to communicate key messages to their clients. Eye-catching notices will engage guests to participate in upcoming events, key customer care messages can be effectively communicated and menus and general hotel information can be easily kept up to date.

At last, **retailers** can display their offers professionally and with high impact. By printing in C-size they will be able to clearly communicate special and new offers and ultimately differentiate themselves from competitors by having more informed and thereby more satisfied customers.





HP Designjet 70 Printer series

Technical specifications

Desident second sec		
Product number	HP Designjet 70 Q6655A	
Printing		
Technology	HP Thermal Inkjet	
Technology resolution	HP Color Layering technology, PhotoREt IV	
Printer cartridge colors	Black, cyan, magenta, yellow	
Ink types	Pigment-based (black), dye-based (cyan, magenta, yellow)	
Ink drop	18 pl (black), 4 pl (cyan, magenta, yellow)	
Print speeds		
В	Color image (ISO N5) Normal mode B Glossy Paper: 4 min/page. The printed area din	ensions (marains not included) for file N5 are 11.02 x 13.78 in.
C	Full color image, C Plain paper: 44 sec/page	······································
Connectivity	Tui color indge, e train paper. 44 sec/ page	
	USB 1.1 (USB 2.0 secondized) Contractor recorded USEE 1204 (ECD secondized), 1.E(O s	-1
Standard	USB 1.1 (USB 2.0 compliant), Centronics parallel IEEE-1284 (ECP compliant), 1 EIO s	01
Optional	HP Jetdirect 620n, 615n, 680n, 610n, 600n, 175x, 310x, 380x, en3700	
Drivers (included)	Raster driver for Mac OS 9.x, X.2, X.3; PCL 3-GUI Windows driver; Microsoft Window	s drivers 98, Me, 2000, XP including support for AutoCAD 2000, USB and ECP
	drivers	
Print margins	Top (sheet) 0.2 in	
-	Bottom (sheet) 0.47 in, 0.2 in (roll *) /*Roll is an optional accessory	
	Left (sheet) 0.2 in	
	Right (sheet) 02 in	
Media	3 (, .	
Handling	70-sheet input tray, 50-sheet output tray, front single-sheet paper feed, rear path for mo	unual single-sheet feed, optional rear roll feed
•	Paper (plain, inkjet, coated, heavyweight coated, semi-gloss, glossy, proofing, photo, n	
Types		
Thickness (by paper path)	Tray 1: up to 0.008 in; envelopes (via tray): up to 0.015 in; front path: up to 0.008 in	; rear path: up to 0.015 in
Weights (by paper path)	Tray 1: 17.3 to 40 lb; manual single-sheet feed: 17.3 to 40 lb; rear path: up to 80 lb;	roll teed: 17.3 to 40 lb
Sizes	Letter, legal, tabloid, executive, C, envelopes, banners	
Rolls (Optional Accessory)	Core diameter: 2 in	
//	External diameter: 3.9 in	
	Max Weight: 7lb	
C		
System	Windows Missouft Windows 09 May Partium L 122 MHz 49 MP PAMA 200 MP	reilable bard diek angeet Windows 2000, 2002 Server Pontium II, 200 MHz, 129
Minimum system requirements	Windows: Microsoft Windows 98, Me: Pentium I, 133 MHz, 48 MB RAM, 300 MB and MB RAM, 400 MB and 140 MB an	
	MB RAM, 400 MB available hard disk space; Windows XP: Pentium III, 733 MHz, 12	
	Mac: iMac G3, Mac OS 9 v 9.1, Mac OS X v X.2, 256 MB RAM, 100 MB available	hard disk (compatible Macintosh hardware: iMac G3, G4, G5, G4 dual processor,
	G5 dual processor, iBook, PowerBook, eMac)	
Recommended system requirements	Windows: Microsoft Windows 98, Me: Pentium I, 133 MHz, 64 MB RAM, 320 MB and	ailable hard disk space; Windows 2000, 2003 Server: Pentium III, 733 MHz, 256
, ,	MB RAM, 2 GB available hard disk space: Windows XP: Pentium IV, 1 GHz, 256 MB	RAM, 2 GB available hard disk space
	Mac: Mac OS 9 v 9.2, Mac OS X v X.2 and higher, X.3, G3 dual processor, 512MB	
Memory		
	64 MB	
	64 MB	
Print languages		
Print languages Standard	64 MB PCL 3-GUI RGB	Order information
Print languages Standard Dimensions (w x d x h)	PCL 3-GUI RGB	
Print languages Standard	PCL 3-GUI RGB 35 x 38.6 x 8.7 in	Product
Print languages Standard Dimensions (w x d x h) Maximum Shipping	PCL 3-GUI RGB	
Print languages Standard Dimensions (w x d x h) Maximum	PCL 3-GUI RGB 35 x 38.6 x 8.7 in	Product Q6655A HP Designjet 70 Printer
Print languages Standard Dimensions (w x d x h) Maximum Shipping Weight	PCL 3-GUI RGB 35 x 38.6 x 8.7 in	Product Q6655A HP Designjet 70 Printer Accessories
Print languages Standard Dimensions (w x d x h) Maximum Shipping Weight Printer	PCL 3-GUI RGB 35 x 38.6 x 8.7 in 43 x 41 x 84 in	Product Q6655A HP Designjet 70 Printer Accessories Q6662A HP Designjet 70/90 Roll Feed accessory
Print languages Standard Dimensions (w x d x h) Maximum Shipping Weight Printer Shipping	PCL 3-GUI RGB 35 x 38.6 x 8.7 in 43 x 41 x 84 in 40.8 lb 64 lb	Product Q6655A HP Designjet 70 Printer Accessories Q6661A HP Designjet 70/90 Roll Feed accessory Q6661A HP Designjet 70/90 Spindle accessory
Print languages Standard Dimensions (w x d x h) Maximum Shipping Weight Printer	PCL 3-GUI RGB 35 x 38.6 x 8.7 in 43 x 41 x 84 in 40.8 lb 64 lb HP Designjet 70 Printer, Power Cord, Printheads (4), Print Cartridges (4), Input/Output	Product Q6655A HP Designjet 70 Printer Accessories Q6662A HP Designjet 70/90 Roll Feed accessory
Print languages Standard Dimensions (w x d x h) Maximum Shipping Weight Printer Shipping	PCL 3-GUI RGB 35 x 38.6 x 8.7 in 43 x 41 x 84 in 40.8 lb 64 lb HP Designjet 70 Printer, Power Cord, Printheads (4), Print Cartridges (4), Input/Output Tray, Input Tray Cover, Documentation and Driver CD, Setup Poster, Quick Reference	Product Q6655A HP Designjet 70 Printer Accessories Q6661A HP Designjet 70/90 Roll Feed accessory Q6661A HP Designjet 70/90 Spindle accessory
Print languages Standard Dimensions (w x d x h) Maximum Shipping Weight Printer Shipping	PCL 3-GUI RGB 35 x 38.6 x 8.7 in 43 x 41 x 84 in 40.8 lb 64 lb HP Designjet 70 Printer, Power Cord, Printheads (4), Print Cartridges (4), Input/Output	Product Q6655A HP Designjet 70 Printer Accessories Q6662A HP Designjet 70/90 Roll Feed accessory Q6661A HP Designjet 70/90 Spindle accessory
Print languages Standard Dimensions (w x d x h) Maximum Shipping Weight Printer Shipping	PCL 3-GUI RGB 35 x 38.6 x 8.7 in 43 x 41 x 84 in 40.8 lb 64 lb HP Designjet 70 Printer, Power Cord, Printheads (4), Print Cartridges (4), Input/Output Tray, Input Tray Cover, Documentation and Driver CD, Setup Poster, Quick Reference	Product Q6655A HP Designjet 70 Printer Accessories Q6661A HP Designjet 70/90 Roll Feed accessory Q6661A HP Designjet 70/90 Spindle accessory J7934A HP Jetdirect 620n LAN card Media supplies HPB2505 HP Bright White Inkjet Paper-A/250 sheets
Print languages Standard Dimensions (w x d x h) Maximum Shipping Weight Printer Shipping	PCL 3-GUI RGB 35 x 38.6 x 8.7 in 43 x 41 x 84 in 40.8 lb 64 lb HP Designjet 70 Printer, Power Cord, Printheads (4), Print Cartridges (4), Input/Output Tray, Input Tray Cover, Documentation and Driver CD, Setup Poster, Quick Reference	Product Q6655A HP Designjet 70 Printer Accessories Q6661A HP Designjet 70/90 Roll Feed accessory Q6661A HP Designjet 70/90 Spindle accessory J7934A HP Jetdirect 620n LAN card Media supplies HPB2505 HP Bright White Inkjet Paper-A/250 sheets HPB1724 HP Bright White Inkjet Paper-B/250 sheets
Print languages Standard Dimensions (w x d x h) Maximum Shipping Weight Printer Shipping	PCL 3-GUI RGB 35 x 38.6 x 8.7 in 43 x 41 x 84 in 40.8 lb 64 lb HP Designjet 70 Printer, Power Cord, Printheads (4), Print Cartridges (4), Input/Output Tray, Input Tray Cover, Documentation and Driver CD, Setup Poster, Quick Reference	Product Q6655A HP Designjet 70 Printer Accessories Q6661A HP Designjet 70/90 Roll Feed accessory Q6661A HP Designjet 70/90 Spindle accessory J7934A HP Jetdirect 620n LAN card Media supplies HPB2505 HP Bright White Inkjet Paper-A/250 sheets HPB1724 HP Bright White Inkjet Paper-B/250 sheets Q7897A HP Coaled Paper-18 in/150 ft roll
Print languages Standard Dimensions (w x d x h) Maximum Shipping Weight Printer Shipping What's in the box	PCL 3-GUI RGB 35 x 38.6 x 8.7 in 43 x 41 x 84 in 40.8 lb 64 lb HP Designjet 70 Printer, Power Cord, Printheads (4), Print Cartridges (4), Input/Output Tray, Input Tray Cover, Documentation and Driver CD, Setup Poster, Quick Reference	Product Q6655A HP Designjet 70 Printer Accessories Q6661A HP Designjet 70/90 Roll Feed accessory Q6661A HP Designjet 70/90 Spindle accessory J7934A HP Jetdirect 620n LAN card Media supplies HPB2505 HP Bright White Inkjet Paper A/250 sheets HPB1724 HP Bright White Inkjet Paper B/250 sheets Q7897A HP Coated Paper 18 in/150 ft roll 51634Y HP Premium Paper A/200 sheets
Print languages Standard Dimensions (w x d x h) Maximum Shipping Weight Printer Shipping What's in the box Environmental ranges	PCL 3-GUI RGB 35 x 38.6 x 8.7 in 43 x 41 x 84 in 40.8 lb 64 lb HP Designjet 70 Printer, Power Cord, Printheads (4), Print Cartridges (4), Input/Output Tray, Input Tray Cover, Documentation and Driver CD, Setup Poster, Quick Reference Guide, Customer Service Guide	Product Gó655A HP Designjet 70 Printer Accessories Gó62A HP Designjet 70/90 Roll Feed accessory Gó62A HP Designjet 70/90 Spindle accessory J7934A HP Jetdirect 620n LAN card Media supplies HPB2505 HP Bright White Inkjet Paper-A/250 sheets HPB1724 HP Bright White Inkjet Paper-B/250 sheets J7897A HP Coaled Paper-I8 in/150 ft roll S1634Y HP Premium Paper-A/200 sheets C3832A HP Premium Plus Inkjet Transparency film-A4/20 sheets
Print languages Standard Dimensions (w x d x h) Maximum Shipping Weight Printer Shipping What's in the box Environmental ranges Operating temperature	PCL 3-GUI RGB 35 x 38.6 x 8.7 in 43 x 41 x 84 in 40.8 lb 64 lb HP Designjet 70 Printer, Power Cord, Printheads (4), Print Cartridges (4), Input/Output Tray, Input Tray Cover, Documentation and Driver CD, Setup Poster, Quick Reference Guide, Customer Service Guide 41 to 104° F	Product Q6655A HP Designjet 70 Printer Accessories Q6662A HP Designjet 70/90 Roll Feed accessory Q6661A HP Designjet 70/90 Spindle accessory J7934A HP Jetdirect 620n LAN card Media supplies HPB2505 HP Bright White Inkjet Paper-A/250 sheets HPB1724 HP Bright White Inkjet Paper-B/250 sheets Q7897A HP Coated Paper-18 in/150 ft roll 51634Y HP Premium Paper-A/200 sheets C3832A HP Premium Plus Inkjet Transparency film-A4/20 sheets G5486A HP Premium Plus Photo and Proofing GlossB+/20 sheets
Print languages Standard Dimensions (w x d x h) Maximum Shipping Weight Printer Shipping What's in the box Environmental ranges Operating temperature Recommended operating temperature	PCL 3-GUI RGB 35 x 38.6 x 8.7 in 43 x 41 x 84 in 40.8 lb 64 lb HP Designjet 70 Printer, Power Cord, Printheads (4), Print Cartridges (4), Input/Output Tray, Input Tray Cover, Documentation and Driver CD, Setup Poster, Quick Reference Guide, Customer Service Guide 41 to 104° F 59 to 91° F	Product Q6655A HP Designjet 70 Printer Accessories Q6662A HP Designjet 70/90 Roll Feed accessory Q6661A HP Designjet 70/90 Spindle accessory J7934A HP Jetdirect 620n LAN card Media supplies HP82505 HP Bright White Inkjet PaperA/250 sheets HPB1724 HP Bright White Inkjet PaperB/250 sheets Q7897A HP Coated Paper 18 in/150 ft roll 51634Y HP Premium Plus Inkjet Transparency film-A4/20 sheets Q5487A HP Premium Plus Photo and Proofing Gloss-B+/20 sheets Q5487A HP Premium Plus Photo and Proofing Gloss-C+/20 sheets
Print languages Standard Dimensions (w x d x h) Maximum Shipping Weight Printer Shipping What's in the box Environmental ranges Operating temperature Recommended operature temperature Storage temperature	PCL 3-GUI RGB 35 x 38.6 x 8.7 in 43 x 41 x 84 in 40.8 lb 64 lb HP Designjet 70 Printer, Power Cord, Printheads (4), Print Cartridges (4), Input/Output Tray, Input Tray Cover, Documentation and Driver CD, Setup Poster, Quick Reference Guide, Customer Service Guide 41 to 104° F 59 to 91° F -13 to 131° F	Product Gó655A HP Designjet 70 Printer Accessories Gó62A HP Designjet 70/90 Roll Feed accessory Gó62A HP Designjet 70/90 Spindle accessory J7934A HP Jetdirect 620n LAN card Media supplies HPB2505 HP Bright White Inkjet Paper-A/250 sheets HPB1724 HP Bright White Inkjet Paper-B/250 sheets J7897A HP Coaled Paper-I8 in/150 ft roll S1634Y HP Premium Paper-A/200 sheets C3832A HP Premium Plus Inkjet Transparency film-A4/20 sheets
Print languages Standard Dimensions (w x d x h) Maximum Shipping Weight Printer Shipping What's in the box Environmental ranges Operating temperature Recommended operating temperature Storage temperature Storage temperature Operating humidity	PCL 3-GUI RGB 35 x 38.6 x 8.7 in 43 x 41 x 84 in 40.8 lb 64 lb HP Designjet 70 Printer, Power Cord, Printheads (4), Print Cartridges (4), Input/Output Tray, Input Tray Cover, Documentation and Driver CD, Setup Poster, Quick Reference Guide, Customer Service Guide 41 to 104° F 59 to 91° F -13 to 131° F 20% to 80% RH	Product Q6655A HP Designjet 70 Printer Accessories Q6662A HP Designjet 70/90 Roll Feed accessory Q6661A HP Designjet 70/90 Spindle accessory J7934A HP Jetdirect 620n LAN card Media supplies HP82505 HP Bright White Inkjet PaperA/250 sheets HPB1724 HP Bright White Inkjet PaperB/250 sheets Q7897A HP Coated Paper 18 in/150 ft roll 51634Y HP Premium Plus Inkjet Transparency film-A4/20 sheets Q5487A HP Premium Plus Photo and Proofing Gloss-B+/20 sheets Q5487A HP Premium Plus Photo and Proofing Gloss-C+/20 sheets
Print languages Standard Dimensions (w x d x h) Maximum Shipping Weight Printer Shipping What's in the box Environmental ranges Operating temperature Recommended operating temperature Storage temperature Operating humidity Recommended humidity	PCL 3-GUI RGB 35 x 38.6 x 8.7 in 43 x 41 x 84 in 40.8 lb 64 lb HP Designjet 70 Printer, Power Cord, Printheads (4), Print Cartridges (4), Input/Output Tray, Input Tray Cover, Documentation and Driver CD, Setup Poster, Quick Reference Guide, Customer Service Guide 41 to 104° F 59 to 91° F -13 to 131° F	Product Q6655A HP Designjet 70 Printer Accessories Q6662A HP Designjet 70/90 Roll Feed accessory Q6661A HP Designjet 70/90 Spindle accessory J7934A HP Jetdirect 620n LAN card Media supplies HPB2505 HP Bright White Inkjet Paper-A/250 sheets HPB1724 HP Bright White Inkjet Paper-B/250 sheets Q7897A HP Coated Paper-18 in/150 ft roll 51634Y HP Premium Plus Inkjet Transparency film-A4/20 sheets Q5486A HP Premium Plus Photo and Proofing Gloss-B+/20 sheets Q5487A HP Premium Plus Photo and Proofing Gloss-C+/20 sheets Q5487A HP Premium Plus Photo and Proofing Gloss-C+/20 sheets Q1967A HP Proofing Matte-B+/100 sheets
Print languages Standard Dimensions (w x d x h) Maximum Shipping Weight Printer Shipping What's in the box Environmental ranges Operating temperature Recommended operating temperature Storage temperature Operating humidity Recommended humidity Acoustic	PCL 3-GUI RGB 35 x 38.6 x 8.7 in 43 x 41 x 84 in 40.8 lb 64 lb HP Designjet 70 Printer, Power Cord, Printheads (4), Print Cartridges (4), Input/Output Tray, Input Tray Cover, Documentation and Driver CD, Setup Poster, Quick Reference Guide, Customer Service Guide 41 to 104° F 59 to 91° F -13 to 131° F 20% to 80% RH 25% to 75% RH	Product Q6655A HP Designjet 70 Printer Accessories Q6661A HP Designjet 70/90 Roll Feed accessory Q6661A HP Designjet 70/90 Spindle accessory J7934A HP Jetdirect 620n LAN card Media supplies HPB2505 HP Bright White Inkjet Paper A/250 sheets HPB1724 HP Bright White Inkjet Paper A/250 sheets Q7897A HP Coated Paper 18 in/150 ft roll 51634Y HP Premium Plus Photo and Proofing Gloss B+/20 sheets Q5487A HP Premium Plus Photo and Proofing Gloss B+/20 sheets Q5487A HP Premium Plus Photo and Proofing Gloss C+/20 sheets Q5487A HP Proofing Semi-Gloss B+/50 sheets Q1967A HP Proofing Motte-B+/100 sheets Ink supplies
Print languages Standard Dimensions (w x d x h) Maximum Shipping Weight Printer Shipping What's in the box Environmental ranges Operating temperature Recommended operating temperature Storage temperature Storage temperature Coperating humidity Recommended humidity Acoustic Sound pressure, active	PCL 3-GUI RGB 35 x 38.6 x 8.7 in 43 x 41 x 84 in 40.8 lb 64 lb HP Designjet 70 Printer, Power Cord, Printheads (4), Print Cartridges (4), Input/Output Tray, Input Tray Cover, Documentation and Driver CD, Setup Poster, Quick Reference Guide, Customer Service Guide 41 to 104° F 59 to 91° F -13 to 131° F 20% to 80% RH 25% to 75% RH 50 dB(A)	Product Q6655A HP Designjet 70 Printer Accessories Q6662A HP Designjet 70/90 Roll Feed accessory Q6661A HP Designjet 70/90 Spindle accessory J7934A HP Jetdirect 620n LAN card Media supplies HPB2505 HP Bright White Inkjet Paper-A/250 sheets HPB1724 HP Bright White Inkjet Paper-B/250 sheets Q7897A HP Coated Paper-18 in/150 ft roll 51634Y HP Premium Plus Inkjet Transparency film-A4/20 sheets Q5486A HP Premium Plus Photo and Proofing Gloss-B+/20 sheets Q5487A HP Premium Plus Photo and Proofing Gloss-C+/20 sheets Q5487A HP Premium Plus Photo and Proofing Gloss-C+/20 sheets Q1967A HP Proofing Matte-B+/100 sheets
Print languages Standard Dimensions (w x d x h) Maximum Shipping Weight Printer Shipping What's in the box Environmental ranges Operating temperature Recommended operating temperature Storage temperature Operating temperature Storage temperature Sourd pressure, active Sound pressure, active Sound pressure, standby	PCL 3-GUI RGB 35 x 38.6 x 8.7 in 43 x 41 x 84 in 40.8 lb 64 lb HP Designjet 70 Printer, Power Cord, Printheads (4), Print Cartridges (4), Input/Output Tray, Input Tray Cover, Documentation and Driver CD, Setup Poster, Quick Reference Guide, Customer Service Guide 41 to 104° F 59 to 91° F -13 to 131° F 20% to 80% RH 25% to 75% RH 50 dB(A) 37 dB(A)	Product Q66555 HP Designjet 70 Printer Accessories Q6662A HP Designjet 70/90 Roll Feed accessory Q6661A HP Designjet 70/90 Spindle accessory J7934A HP Jetdirect 620n LAN card Media supplies HPB2505 HP Bright White Inkjet Paper-A/250 sheets HPB1724 HP Bright White Inkjet Paper-B/250 sheets Q7897A HP Coated Paper-18 in/150 ft roll 51634Y HP Premium Paper-A/200 sheets C3832A HP Premium Plus Photo and Proofing Gloss-B+/20 sheets Q5486A HP Premium Plus Photo and Proofing Gloss-C+/20 sheets Q5487A HP Premium Plus Photo and Proofing Gloss-C+/20 sheets Q5487A HP Premium Plus Photo and Proofing Gloss-C+/20 sheets Q1967A HP Proofing Matte-B+/100 sheets Ink supplies C4834AE 10 black ink cartridge, 69 ml C4836AE 11 cyan ink cartridge, 28 ml
Print languages Standard Dimensions (w x d x h) Maximum Shipping Weight Printer Shipping What's in the box Environmental ranges Operating temperature Recommended operating temperature Storage temperature Operating humidity Recommended humidity Acoustic Sound pressure, active Sound pressure, standby Sound power, active	PCL 3-GUI RGB 35 x 38.6 x 8.7 in 43 x 41 x 84 in 40.8 lb 64 lb HP Designjet 70 Printer, Power Cord, Printheads (4), Print Cartridges (4), Input/Output Tray, Input Tray Cover, Documentation and Driver CD, Setup Poster, Quick Reference Guide, Customer Service Guide 41 to 104° F 59 to 91° F -13 to 131° F 20% to 80% RH 25% to 75% RH 50 dB(A) 37 dB(A) 6.2 B(A)	Product Q6655A HP Designjet 70 Printer Accessories Q6662A HP Designjet 70/90 Roll Feed accessory Q6661A HP Designjet 70/90 Spindle accessory J7934A HP Jetdirect 620n LAN card Media supplies HPB1724 HP Bright White Inkjet Paper-A/250 sheets HPB1724 HP Bright White Inkjet Paper-B/250 sheets Q7897A HP Coated Paper-18 in/150 ft roll 51634Y HP Premium Plus Photo and Proofing Gloss-B+/20 sheets Q5486A HP Premium Plus Photo and Proofing Gloss-B+/20 sheets Q5487A HP Premium Plus Photo and Proofing Gloss-C+/20 sheets Q5487A HP Premium Plus Photo and Proofing Gloss-C+/20 sheets Q1967A HP Proofing Matte-B+/100 sheets Ink supplies C4844AE 10 black ink cartridge, 69 ml C4836AE 11 cyan ink cartridge, 28 ml
Print languages Standard Dimensions (w x d x h) Maximum Shipping Weight Printer Shipping What's in the box Environmental ranges Operating temperature Recommended operating temperature Storage temperature Operating humidity Recommended humidity Acoustic Sound pressure, active Sound pressure, active Sound power, active Sound power, active Sound power, standby	PCL 3-GUI RGB 35 x 38.6 x 8.7 in 43 x 41 x 84 in 40.8 lb 64 lb HP Designjet 70 Printer, Power Cord, Printheads (4), Print Cartridges (4), Input/Output Tray, Input Tray Cover, Documentation and Driver CD, Setup Poster, Quick Reference Guide, Customer Service Guide 41 to 104° F 59 to 91° F -13 to 131° F 20% to 80% RH 25% to 75% RH 50 dB(A) 37 dB(A)	Product Q6655A HP Designjet 70 Printer Accessories Q6662A HP Designjet 70/90 Roll Feed accessory Q6661A HP Designjet 70/90 Spindle accessory J7934A HP Jetdirect 620n LAN card Media supplies HPB2505 HP Bright White Inkjet Paper-A/250 sheets HPB1724 HP Bright White Inkjet Paper-A/250 sheets Q7897A HP Coated Paper-18 in/150 ft roll 51634Y HP Premium Paper-A/200 sheets C3832A HP Premium Plus Photo and Proofing Gloss-B+/20 sheets G5487A HP Premium Plus Photo and Proofing Gloss-B-/20 sheets G5487A HP Promium Plus Photo and Proofing Gloss-C+/20 sheets G5487A HP Proofing Matte-B+/100 sheets C7884A HP Proofing Matte-B+/100 sheets C4834AE 10 black ink cartridge, 69 ml C4833AE 11 cyan ink cartridge, 28 ml C4833AE 11 pellow ink cartridge, 28 ml
Print languages Standard Dimensions (w x d x h) Maximum Shipping Weight Printer Shipping What's in the box Environmental ranges Operating temperature Recommended operating temperature Storage temperature Operating humidity Recommended humidity Recommended humidity Recommended humidity Recommended humidity Recommended humidity Recommended pressure, active Sound pressure, active Sound pressure, standby Sound power, active Sound power, standby Power	PCL 3-GUI RGB 35 x 38.6 x 8.7 in 43 x 41 x 84 in 40.8 lb 64 lb HP Designjet 70 Printer, Power Cord, Printheads (4), Print Cartridges (4), Input/Output Tray, Input Tray Cover, Documentation and Driver CD, Setup Poster, Quick Reference Guide, Customer Service Guide 41 to 104° F 59 to 91° F -13 to 131° F 20% to 80% RH 25% to 75% RH 50 dB(A) 37 dB(A) 6.2 B(A) 5.4 B(A)	Product Q66655 HP Designjet 70 Printer Accessories G6662A HP Designjet 70/90 Roll Feed accessory Q6661A HP Designjet 70/90 Spindle accessory J7934A HP Jetdirect 620n LAN card Media supplies HPB2505 HP Bright White Inkjet PaperA/250 sheets HPB1724 HP Bright White Inkjet PaperB/250 sheets G7897A HP Coaled Paper-18 in/150 ft roll 51634Y HP Premium PaperA/200 sheets C3832A HP Premium Plus Inkjet Transparency film:A4/20 sheets G5486A HP Premium Plus Photo and Proofing Gloss-B+/20 sheets G5486A HP Premium Plus Photo and Proofing Gloss-C+/20 sheets G5487A HP Proofing Semi-Gloss-B+/50 sheets Q1967A HP Proofing Matte-B+/100 sheets Ink supplies C4844AE 10 block ink cartridge, 69 ml C4836AE 11 cyan ink cartridge, 28 ml C4837AE 11 magenta ink cartridge, 28 ml C4837AE 11 pellow ink cartridge, 28 ml C4830AE 11 plow ink cartridge, 28 ml C4830AE 11 plow ink cartridge, 28 ml C4830AE 11 plow ink cartridge, 28 ml
Print languages Standard Dimensions (w x d x h) Maximum Shipping Weight Printer Shipping What's in the box Environmental ranges Operating temperature Recommended operating temperature Storage temperature Operating humidity Recommended humidity Acoustic Sound pressure, active Sound pressure, active Sound pressure, standby Sound power, active Sound power, standby Power Consumption	PCL 3-GUI RGB 35 x 38.6 x 8.7 in 43 x 41 x 84 in 40.8 lb 64 lb HP Designjet 70 Printer, Power Cord, Printheads (4), Print Cartridges (4), Input/Output Tray, Input Tray Cover, Documentation and Driver CD, Setup Poster, Quick Reference Guide, Customer Service Guide 41 to 104° F 59 to 91° F -13 to 131° F 20% to 80% RH 25% to 75% RH 50 dB(A) 37 dB(A) 6.2 B(A) 5.4 B(A) 48 watts (max), 14 watts (standby)	Product Q6655A HP Designjet 70 Printer Accessories G6662A HP Designjet 70/90 Roll Feed accessory Q6661A HP Designjet 70/90 Spindle accessory J7934A HP Jetdirect 620n LAN card Media supplies HPB2505 HP Bright White Inkjet PaperA/250 sheets HPB1724 HP Bright White Inkjet PaperB/250 sheets G7897A HP Coated Paper 18 in/150 ft roll 51634Y HP Premium Plus Photo and Proofing Gloss-B+/20 sheets G3832A HP Premium Plus Photo and Proofing Gloss-C+/20 sheets G5486A HP Premium Plus Photo and Proofing Gloss-C+/20 sheets G5487A HP Premium Plus Photo and Proofing Gloss-C+/20 sheets G5487A HP Premium Plus Photo and Proofing Gloss-C+/20 sheets G5487A HP Premium Plus Photo and Proofing Gloss-C+/20 sheets G5482A HP Premium Plus Photo and Proofing Gloss-C+/20 sheets G5482A HP Proofing Matte-B+/100 sheets Int supplies C4834AE 10 black ink cartridge, 69 ml C4834AE 11 magenta ink cartridge, 28 ml C4833AE 11 magenta ink cartridge, 28 ml C483AE 11 pyan printhead C4811A 11 pyan printhead C4811A 11 pyan printhead
Print languages Standard Dimensions (w x d x h) Maximum Shipping Weight Printer Shipping What's in the box Environmental ranges Operating temperature Recommended operating temperature Storage temperature Operating humidity Recommended humidity Recommended humidity Recommended humidity Recommended humidity Recommended humidity Recommended pressure, active Sound pressure, active Sound pressure, standby Sound power, active Sound power, standby Power	PCL 3-GUI RGB 35 x 38.6 x 8.7 in 43 x 41 x 84 in 40.8 lb 64 lb HP Designjet 70 Printer, Power Cord, Printheads (4), Print Cartridges (4), Input/Output Tray, Input Tray Cover, Documentation and Driver CD, Setup Poster, Quick Reference Guide, Customer Service Guide 41 to 104° F 59 to 91° F -13 to 131° F 20% to 80% RH 25% to 75% RH 50 dB(A) 37 dB(A) 6.2 B(A) 5.4 B(A) 48 watts (max), 14 watts (standby) Input voltage 100 to 240 VAC (+/- 10%) auto ranging, 50/60 Hz (+/- 3Hz),	Product Q6655A HP Designjet 70 Printer Accessories Q6661A HP Designjet 70/90 Roll Feed accessory Q6661A HP Designjet 70/90 Spindle accessory J7934A HP Jetdirect 620n LAN card Media supplies HPB2505 HP Bright White Inkjet Paper-A/250 sheets HPB1724 HP Bright White Inkjet Paper-A/250 sheets Q7897A HP Coated Paper-18 in/150 ft roll 51634Y HP Premium Plus Photo and Proofing Gloss-C+/20 sheets Q5487A HP Premium Plus Photo and Proofing Gloss-C+/20 sheets Q5487A HP Premium Plus Photo and Proofing Gloss-C+/20 sheets Q5487A HP Proofing Matte-B+/100 sheets C7884A HP Proofing Matte-B+/100 sheets Q1967A HP Proofing Matte-B+/100 sheets C4844AE 10 block ink cartridge, 69 ml C4836AE 11 cyan ink cartridge, 28 ml C4837AE 11 magenta ink cartridge, 28 ml C4838AE 11 yellow ink cartridge, 28 ml C4810A 11 black printhead C4811A 11 cyan printhead C4811A 11 cyan printhead
Print languages Standard Dimensions (w x d x h) Maximum Shipping Weight Printer Shipping What's in the box Environmental ranges Operating temperature Recommended operating temperature Storage temperature Operating humidity Acoustic Sound pressure, active Sound pressure, active Sound pressure, standby Sound power, standby Power Consumption Power supply	PCL 3-GUI RGB 35 x 38.6 x 8.7 in 43 x 41 x 84 in 40.8 lb 64 lb HP Designjet 70 Printer, Power Cord, Printheads (4), Print Cartridges (4), Input/Output Tray, Input Tray Cover, Documentation and Driver CD, Setup Poster, Quick Reference Guide, Customer Service Guide 41 to 104° F 59 to 91° F -13 to 131° F 20% to 80% RH 25% to 75% RH 50 dB(A) 37 dB(A) 6.2 B(A) 5.4 B(A) 48 watts (max), 14 watts (standby) Input voltage 100 to 240 VAC (+/- 10%) auto ranging, 50/60 Hz (+/- 3Hz), 2 amp maximum	Product Q6655A HP Designjet 70 Printer Accessories G6662A HP Designjet 70/90 Roll Feed accessory Q6661A HP Designjet 70/90 Spindle accessory J7934A HP Jetdirect 620n LAN card Media supplies HPB2505 HP Bright White Inkjet PaperA/250 sheets HPB1724 HP Bright White Inkjet PaperB/250 sheets G7897A HP Coated Paper 18 in/150 ft roll 51634Y HP Premium Plus Photo and Proofing Gloss-B+/20 sheets G3832A HP Premium Plus Photo and Proofing Gloss-C+/20 sheets G5486A HP Premium Plus Photo and Proofing Gloss-C+/20 sheets G5487A HP Premium Plus Photo and Proofing Gloss-C+/20 sheets G5487A HP Premium Plus Photo and Proofing Gloss-C+/20 sheets G5487A HP Premium Plus Photo and Proofing Gloss-C+/20 sheets G5482A HP Premium Plus Photo and Proofing Gloss-C+/20 sheets G5482A HP Proofing Matte-B+/100 sheets Int supplies C4834AE 10 black ink cartridge, 69 ml C4834AE 11 magenta ink cartridge, 28 ml C4833AE 11 magenta ink cartridge, 28 ml C483AE 11 pyan printhead C4811A 11 pyan printhead C4811A 11 pyan printhead
Print languages Standard Dimensions (w x d x h) Maximum Shipping Weight Printer Shipping What's in the box Environmental ranges Operating temperature Recommended operating temperature Storage temperature Operating humidity Recommended humidity Acoustic Sound pressure, active Sound pressure, active Sound pressure, standby Sound power, active Sound power, standby Power Consumption	PCL 3-GUI RGB 35 x 38.6 x 8.7 in 43 x 41 x 84 in 40.8 lb 64 lb HP Designjet 70 Printer, Power Cord, Printheads (4), Print Cartridges (4), Input/Output Tray, Input Tray Cover, Documentation and Driver CD, Setup Poster, Quick Reference Guide, Customer Service Guide 41 to 104° F 59 to 91° F -13 to 131° F 20% to 80% RH 25% to 75% RH 50 dB(A) 37 dB(A) 6.2 B(A) 5.4 B(A) 48 watts (max), 14 watts (standby) Input voltage 100 to 240 VAC (+/- 10%) auto ranging, 50/60 Hz (+/- 3Hz), 2 amp maximum Compliance for Class B products, Class A when connected to LANs: EU (EMC	Product Q6655A HP Designjet 70 Printer Accessories Q6661A HP Designjet 70/90 Roll Feed accessory Q6661A HP Designjet 70/90 Spindle accessory J7934A HP Jetdirect 620n LAN card Media supplies HPB2505 HP Bright White Inkjet Paper A/250 sheets HPB1724 HP Bright White Inkjet Paper A/250 sheets Q7897A HP Coated Paper 18 in/150 ft roll 51634Y HP Premium Plus Photo and Proofing Gloss-B+/20 sheets Q5487A HP Premium Plus Photo and Proofing Gloss-B+/20 sheets Q5487A HP Premium Plus Photo and Proofing Gloss-C+/20 sheets Q5487A HP Proofing Matte-B+/100 sheets C7894A HP Proofing Matte-B+/100 sheets Q1967A HP Proofing Matte-B+/100 sheets C4844AE 10 black ink cartridge, 69 ml C4836AE 11 cyan ink cartridge, 28 ml C4837AE 11 magenta ink cartridge, 28 ml C4838AE 11 yellow ink cartridge, 28 ml C4810A 11 black printhead C4811A 11 cyan printhead C4811A 11 cyan printhead
Print languages Standard Dimensions (w x d x h) Maximum Shipping Weight Printer Shipping What's in the box Environmental ranges Operating temperature Recommended operating temperature Storage temperature Operating humidity Acoustic Sound pressure, active Sound pressure, active Sound pressure, standby Sound power, standby Power Consumption Power supply	PCL 3-GUI RGB 35 x 38.6 x 8.7 in 43 x 41 x 84 in 40.8 lb 64 lb HP Designjet 70 Printer, Power Cord, Printheads (4), Print Cartridges (4), Input/Output Tray, Input Tray Cover, Documentation and Driver CD, Setup Poster, Quick Reference Guide, Customer Service Guide 41 to 104° F 59 to 91° F -13 to 131° F 20% to 80% RH 25% to 75% RH 50 dB(A) 37 dB(A) 37 dB(A) 6.2 B(A) 5.4 B(A) 48 watts (max), 14 watts (standby) Input voltage 100 to 240 VAC (+/- 10%) auto ranging, 50/60 Hz (+/- 3Hz), 2 amp maximum Compliance for Class B products, Class A when connected to LANs: EU (EMC Directive), USA (FCC rules), Canada (DoC), Australia (ACA), New Zealand	Product Q6655A HP Designjet 70 Printer Accessories Q6661A HP Designjet 70/90 Roll Feed accessory Q6661A HP Designjet 70/90 Spindle accessory J7934A HP Jetdirect 620n LAN card Media supplies HPB2505 HP Bright White Inkjet Paper A/250 sheets HPB1724 HP Bright White Inkjet Paper A/250 sheets Q7897A HP Coated Paper 18 in/150 ft roll 51634Y HP Premium Plus Photo and Proofing Gloss-B+/20 sheets Q5487A HP Premium Plus Photo and Proofing Gloss-B+/20 sheets Q5487A HP Premium Plus Photo and Proofing Gloss-C+/20 sheets Q5487A HP Proofing Matte-B+/100 sheets C7894A HP Proofing Matte-B+/100 sheets Q1967A HP Proofing Matte-B+/100 sheets C4844AE 10 black ink cartridge, 69 ml C4836AE 11 cyan ink cartridge, 28 ml C4837AE 11 magenta ink cartridge, 28 ml C4838AE 11 yellow ink cartridge, 28 ml C4810A 11 black printhead C4811A 11 cyan printhead C4811A 11 cyan printhead
Print languages Standard Dimensions (w x d x h) Maximum Shipping Weight Printer Shipping What's in the box Environmental ranges Operating temperature Recommended operating temperature Storage temperature Operating humidity Acoustic Sound pressure, active Sound pressure, active Sound pressure, standby Sound pressure, standby Sound power, standby Power Consumption Power supply Electromagnetic compatibility	PCL 3-GUI RGB 35 x 38.6 x 8.7 in 43 x 41 x 84 in 40.8 lb 64 lb HP Designjet 70 Printer, Power Cord, Printheads (4), Print Cartridges (4), Input/Output Tray, Input Tray Cover, Documentation and Driver CD, Setup Poster, Quick Reference Guide, Customer Service Guide 41 to 104° F 59 to 91° F -13 to 131° F 20% to 80% RH 25% to 75% RH 50 dB(A) 37 dB(A) 37 dB(A) 6.2 B(A) 5.4 B(A) 48 watts (max), 14 watts (standby) Input voltage 100 to 240 VAC (+/- 10%) auto ranging, 50/60 Hz (+/- 3Hz), 2 amp maximum Compliance for Class B products, Class A when connected to LANs: EU (EMC Directive), USA (FCC rules), Canada (DoC), Australia (ACA), New Zealand (MoC), China (CCC), Japan (VCCI), Class A: for Korea (MIC) and Taiwan (BSMI)	Product Qd6dS5A HP Designjet 70 Printer Accessories Gd6d2A HP Designjet 70/90 Roll Feed accessory Qd661A HP Designjet 70/90 Spindle accessory J7934A HP Jetdirect 620n LAN card Media supplies HPB2505 HP Bright White Inkjet Paper-A/250 sheets HPB1724 HP Bright White Inkjet Paper-B/250 sheets G7897A HP Coated Paper-18 in/150 ft roll 51634Y HP Premium Paper-A/200 sheets G3832A HP Premium Plus Inkjet Transparency film-A4/20 sheets G5487A HP Premium Plus Inkjet Transparency film-A4/20 sheets G5487A HP Premium Plus Photo and Proofing Gloss-B+/20 sheets G5487A HP Premium Plus Photo and Proofing Gloss-C+/20 sheets G5487A HP Premium Plus Photo and Proofing Gloss-C+/20 sheets G4844A HP Proofing Matte-B+/100 sheets Ink supplies C4843AE 10 black ink cartridge, 69 ml C4837AE 11 magenta ink cartridge, 28 ml C4837AE 11 palou ink cartridge, 28 ml C4813AE 11 black printhead C4813A 11 black printhead C4813A 11 yellow printhead C4813A 11 yellow printhead C4813A 11 yellow printhead Care packs UC743A/E Installation - 1 Unit
Print languages Standard Dimensions (w x d x h) Maximum Shipping Weight Printer Shipping What's in the box Environmental ranges Operating temperature Recommended operating temperature Storage temperature Operating temperature Storage temperature Storage temperature Sound pressure, active Sound pressure, standby Sound pressure, standby Sound pressure, standby Sound pressure, standby Sound pressure, standby Sound pressure, standby Sound pressure, standby Power Consumption Power supply Electromagnetic compatibility	PCL 3-GUI RGB 35 x 38.6 x 8.7 in 43 x 41 x 84 in 40.8 lb 64 lb HP Designjet 70 Printer, Power Cord, Printheads (4), Print Cartridges (4), Input/Output Tray, Input Tray Cover, Documentation and Driver CD, Setup Poster, Quick Reference Guide, Customer Service Guide 41 to 104° F 59 to 91° F -13 to 131° F -20% to 80% RH 25% to 75% RH 50 dB(A) 37 dB(A) 6.2 B(A) 5.4 B(A) 48 watts (max), 14 watts (standby) Input voltage 100 to 240 VAC (+/- 10%) auto ranging, 50/60 Hz (+/- 3Hz), 2 amp maximum Compliance for Class B products, Class A when connected to IANs: EU (EMC Directive), USA (FCC rules), Canada (DoC), Australia (ACA), New Zealand (MoC), China (CCC), Japan (VCCI), Class A: for Korea (MIC) and Taiwan (BSMI) Yes	Product Q6655A HP Designjet 70 Printer Accessories Q6662A HP Designjet 70/90 Roll Feed accessory Q6661A HP Designjet 70/90 Spindle accessory J7934A HP Jetdirect 620n LAN card Media supplies HPB1724 HP Bright White Inkjet Paper-A/250 sheets HPB1724 HP Bright White Inkjet Paper-B/250 sheets Q7897A HP Coated Paper-18 in/150 ft roll 51634Y HP Premium Plus Photo and Proofing Gloss-B+/20 sheets Q5487A HP Premium Plus Photo and Proofing Gloss-B+/20 sheets Q5487A HP Premium Plus Photo and Proofing Gloss-B+/20 sheets Q5487A HP Premium Plus Photo and Proofing Gloss-C+/20 sheets Q5487A HP Premium Plus Photo and Proofing Gloss-C+/20 sheets Q5487A HP Premium Plus Photo and Proofing Gloss-B+/20 sheets Q5487A HP Premium Plus Photo and Proofing Gloss-B+/20 sheets Q5487A HP Premium Plus Photo and Proofing Gloss-B+/20 sheets Q1967A HP Proofing Matte-B+/100 sheets C4844AE 10 black ink cartridge, 69 ml C483AE 11 yellow ink cartridge, 28 ml C4838AE 11 yellow ink cartridge, 28 ml C4810A 11 black printhead C4811A 11 cyan printhead C4812A 11 magenta printhead C4813A 11 yellow printhead C4813A 11 yellow printhead
Print languages Standard Dimensions (w x d x h) Maximum Shipping Weight Printer Shipping What's in the box Environmental ranges Operating temperature Recommended operating temperature Storage temperature Operating humidity Acoustic Sound pressure, active Sound pressure, active Sound pressure, standby Sound pressure, standby Sound power, standby Power Consumption Power supply Electromagnetic compatibility	PCL 3-GUI RGB 35 x 38.6 x 8.7 in 43 x 41 x 84 in 40.8 lb 64 lb HP Designjet 70 Printer, Power Cord, Printheads (4), Print Cartridges (4), Input/Output Tray, Input Tray Cover, Documentation and Driver CD, Setup Poster, Quick Reference Guide, Customer Service Guide 41 to 104° F 59 to 91° F -13 to 131° F 20% to 80% RH 25% to 75% RH 50 dB(A) 37 dB(A) 5.4 B(A) 48 watts (max), 14 watts (standby) Input voltage 100 to 240 VAC (+/- 10%) auto ranging, 50/60 Hz (+/- 3Hz), 2 amp maximum Compliance for Class B products, Class A when connected to LANs: EU (EMC Directive), USA (FCC rules), Canada (DoC), Australia (ACA), New Zealand (MoC), China (CCC), Japan (VCCI), Class A: for Korea (MIC) and Taiwan (BSMI) Yes	Product Qd6dS5A HP Designjet 70 Printer Accessories Gd6d2A HP Designjet 70/90 Roll Feed accessory Qd661A HP Designjet 70/90 Spindle accessory J7934A HP Jetdirect 620n LAN card Media supplies HPB2505 HP Bright White Inkjet Paper-A/250 sheets HPB1724 HP Bright White Inkjet Paper-B/250 sheets G7897A HP Coated Paper-18 in/150 ft roll 51634Y HP Premium Paper-A/200 sheets G3832A HP Premium Plus Inkjet Transparency film-A4/20 sheets G5487A HP Premium Plus Inkjet Transparency film-A4/20 sheets G5487A HP Premium Plus Photo and Proofing Gloss-B+/20 sheets G5487A HP Premium Plus Photo and Proofing Gloss-C+/20 sheets G5487A HP Premium Plus Photo and Proofing Gloss-C+/20 sheets G4844A HP Proofing Matte-B+/100 sheets Ink supplies C4843AE 10 black ink cartridge, 69 ml C4837AE 11 magenta ink cartridge, 28 ml C4837AE 11 palou ink cartridge, 28 ml C4813AE 11 black printhead C4813A 11 black printhead C4813A 11 yellow printhead C4813A 11 yellow printhead C4813A 11 yellow printhead Care packs UC743A/E Installation - 1 Unit
Print languages Standard Dimensions (w x d x h) Maximum Shipping Weight Printer Shipping What's in the box Environmental ranges Operating temperature Recommended operating temperature Storage temperature Operating temperature Storage temperature Storage temperature Sound pressure, active Sound pressure, standby Sound pressure, standby Sound pressure, standby Sound pressure, standby Sound pressure, standby Sound pressure, standby Sound pressure, standby Power Consumption Power supply Electromagnetic compatibility	PCL 3-GUI RGB 35 x 38.6 x 8.7 in 43 x 41 x 84 in 40.8 lb 64 lb HP Designjet 70 Printer, Power Cord, Printheads (4), Print Cartridges (4), Input/Output Tray, Input Tray Cover, Documentation and Driver CD, Setup Poster, Quick Reference Guide, Customer Service Guide 41 to 104° F 59 to 91° F -13 to 131° F 20% to 80% RH 25% to 75% RH 50 dB(A) 37 dB(A) 62 B(A) 54 B(A) 48 watts (max), 14 watts (standby) Input voltage 100 to 240 VAC (+/- 10%) auto ranging, 50/60 Hz (+/- 3Hz), 2 amp maximum Compliance for Class B products, Class A when connected to LANs: EU (EMC Directive), USA (FCC rules), Canada (DoC), Australia (ACA), New Zealand (MoC), China (CCC), Japan (VCCI), Class A: for Korea (MIC) and Taiwan (85MI) Yes IEC 950-compliant, EU IVD and EN60950 compliant, CSA certified for US and Canada, Mexico NOM-1-NYCE, Argentina IRAM, China CCC, Singapore PSB,	Product Q66625A HP Designjet 70 Printer Accessories G6662A HP Designjet 70/90 Roll Feed accessory Q6661A HP Designjet 70/90 Spindle accessory J7934A HP Jetdirect 620n LAN card Media supplies HPB2505 HP Bright White Inkjet Paper-A/250 sheets HPB1724 HP Bright White Inkjet Paper-B/250 sheets G7897A HP Coated Paper-18 in/150 ft roll 51634Y HP Premium Paper-A/200 sheets G5486A HP Pemium Plus Photo and Proofing GlossB+/20 sheets G5486A HP Pemium Plus Photo and Proofing GlossB+/20 sheets G5486A HP Pemium Plus Photo and Proofing GlossB-/20 sheets G5486A HP Premium Plus Photo and Proofing GlossB-/20 sheets G5486A HP Premium Plus Photo and Proofing GlossB-/20 sheets G5486A HP remium Plus Photo and Proofing GlossB-/20 sheets G487A HP Proofing Matte-B+/100 sheets Mk supplies C4844AE 10 black ink cartridge, 69 ml C4830AE 11 cyan ink cartridge, 28 ml C4837AE 11 magenta ink cartridge, 28 ml C4837AE 11 magenta ink cartridge, 28 ml C4837AE 11 magenta ink cartridge, 28 ml C4837AE 11 pyellow ink cartridge, 28 ml C4837AE 11 magenta printhead C4811A 11 cyan printhead C4813A 11 black printhead C4813A 11 plow printhead C4813A 11 plow printhead C4813A 11 plow printhead Care packs UC743A/E Installation - 1 Unit UC744A/E Network installation - 1 Unit
Print languages Standard Dimensions (w x d x h) Maximum Shipping Weight Printer Shipping What's in the box Environmental ranges Operating temperature Recommended operating temperature Storage temperature Operating temperature Storage temperature Storage temperature Sound pressure, active Sound pressure, standby Sound pressure, standby Sound pressure, standby Sound pressure, standby Sound pressure, standby Sound pressure, standby Sound pressure, standby Power Consumption Power supply Electromagnetic compatibility	PCL 3-GUI RGB 35 x 38.6 x 8.7 in 43 x 41 x 84 in 40.8 lb 64 lb HP Designjet 70 Printer, Power Cord, Printheads (4), Print Cartridges (4), Input/Output Tray, Input Tray Cover, Documentation and Driver CD, Setup Poster, Quick Reference Guide, Customer Service Guide 41 to 104° F 59 to 91° F -13 to 131° F 20% to 80% RH 25% to 75% RH 50 dB(A) 37 dB(A) 5.4 B(A) 48 watts (max), 14 watts (standby) Input voltage 100 to 240 VAC (+/- 10%) auto ranging, 50/60 Hz (+/- 3Hz), 2 amp maximum Compliance for Class B products, Class A when connected to LANs: EU (EMC Directive), USA (FCC rules), Canada (DoC), Australia (ACA), New Zealand (MoC), China (CCC), Japan (VCCI), Class A: for Korea (MIC) and Taiwan (BSMI) Yes	Product Q6655A HP Designjet 70 Printer Accessories G6662A HP Designjet 70/90 Roll Feed accessory Q6661A HP Designjet 70/90 Spindle accessory J7934A HP Jetdirect 620n LAN card Media supplies HPB2505 HP Bright White Inkjet PaperA/250 sheets HPB1724 HP Bright White Inkjet PaperB/250 sheets G7897A HP Coated Paper 18 in/150 ft roll 51634Y HP Premium Plus Phylo and Proofing Gloss-B+/20 sheets G3832A HP Premium Plus Photo and Proofing Gloss-B+/20 sheets G3487A HP Premium Plus Photo and Proofing Gloss-C+/20 sheets G3487A HP Proofing Matte-B+/100 sheets Ink supplies C4843AE 10 black ink cartridge, 69 ml C483AE 11 yealnet ink cartridge, 28 ml C483AE 11 point ink cartridge, 28 ml C483AE 11 point ink cartridge, 28 ml C4810A 11 black printhead C4811A 11 cyan printhead C4811A 11 cyan printhead C4813A 11 yellow printhead C4813A 11 yellow printhead C4813A 11 yellow printhead Care packs UC743A/E Installation - 1 Unit UC744A/E Network installation - 1 Unit



Microsoft and Windows are U.S. registered trademarks ange without notice. The only warranties for HP products and services uld be construed as constituting an additional warranty.



For more information, visit our website at www.hp.com